



Test Updates & Delays

Test Updates						
Test Code	Test Name	Performing Lab	Test Link	Date Effective	CPT	Client Price
LAB564	Stone Analysis	MAYO	Stone Analysis	2/12/2026	82365	\$38.00
<i>Comments: Orderable will now be routing to Mayo instead of Warde for testing.</i>						
LAB136	Triiodothyronine Total	MODM	Triiodothyronine Total	TBD	84480	N/A
<i>Comments: Plasma is no longer an acceptable specimen type for testing. Only serum collected in Gold SST or Red Top tubes will be accepted.</i>						

Test Delays

Test Code	Test Name	Performing Lab	Test Link	Date Effective	Target Resolution Date
LAB1110	Vitamin K	Mayo	Vitamin K	2/13/2026	TBD
<i>Comments: Due to instrument issues, results will be delayed past the published turnaround time.</i>					
Reflex Test	HIV-1 Drug Resistance, Next Generation Sequencing	Mayo	HIV-1 Drug Resistance, Next Generation Sequencing	2/12/2026	TBD
<i>Comments: Due to instrument issues, results for this test will be delayed past the published turnaround time.</i>					
LAB7117	Hepatitis C Virus Genotypic Antiviral Drug Resistance	Mayo	Hepatitis C Virus Genotypic Antiviral Drug Resistance	2/12/2026	TBD
<i>Comments: Due to instrument issues, results for this test will be delayed past the published turnaround time.</i>					
LAB814	CNS Demyelinating Disease Evaluation	Mayo	CNS Demyelinating Disease evaluation, Serum	2/10/2026	TBD
<i>Comments: Due to assay issues, test results will be delayed. Orders may take an additional 7 days to report.</i>					
LAB4632	Neuromyelitis Optica (NMO)/Aquaporin-4-IgG	Mayo	Neuromyelitis Optica (NMO)/Aquaporin-4-IgG	2/10/2026	TBD
<i>Comments: Due to assay issues, test results will be delayed.</i>					
LAB7491	Myelin Oligodendrocyte Glycoprotein Antibody with Reflex to Titer	Mayo	Myelin Oligodendrocyte Glycoprotein Antibody with Reflex to Titer	2/10/2026	TBD
<i>Comments: Due to assay issues, test result will be delayed.</i>					
Lab4251	Anti-IgE Receptor Antibody	Mayo	Anti-IgE Receptor Antibody	1/30/2026	TBD
<i>Comments: Effective immediately; results are delayed due to reagent issues.</i>					
LAB000	Antimicrobial Susceptibility Panel, Yeast, Varies	Mayo	Antimicrobial Susceptibility Panel, Yeast, Varies	12/2/2025	TBD

Comments: Due to reagent performance concerns, turnaround times will be extended. Specimens will now be sent to Warde for testing until further notification.